








We provide superior
performing compressed air
& cca systems with






Superior Reliability & Longevity 最佳可靠性和使用年限



- Highly durable materials resistant to corrosion, vibration, thermal variation, and outdoor weather conditions.
- Metal clamshell connectors for all diameters are stronger and more durable versus polymer fittings.
- Unique grab ring design (20-50mm) and lugged ring (63-200mm) allows for zero risk of disconnection.
- Patented active concentric seals provide leak free performance, even in high vibration applications. Seal lifespan is double that of industry competitors.
- 耐腐蝕金屬材質與聚合物材質相比，强度高，壽命長，有效抵抗銹蝕，振動，熱脹冷縮及室外安裝的惡劣環境。
- 專利的抱箍式快插接頭技術，壽命是普通旋插式的一倍，並且更加穩定及抗衝擊。
- 專利設計的主動式壓力密封圈，耐壓更高，壽命更長，杜絕洩漏隱憂。

Quick & Easy Modular Installation 便捷的模組化安裝

- Complete range of pipe, fittings and accessories works easily for new projects renovations & extensions.

• R





1 Aluminum Pipe 剛性鋁合金管

2 Flanged Connector 法蘭片

3 Quick Connect 快速連接螺帽

5 Aluminum 90 Degree Elbow 90度彎頭

6 Flexible Hose 彈性耐壓管

7 Quick Plug Ball Valve 快速連接球閥

5 Quick Plug Ball Valve 快速連接球閥

6 Aluminum Quick Drop 支管快接頭

7 Quick Drop 支管快接頭

5 Quick Plug Equal Tee 快插組合等徑三通

6 Thread Quick Plug Ball Valve 快插組合螺紋球閥

7 Quick Plug Tee 快插組合等徑三通

Product Range & Features

產品範圍和特性

Rigid Aluminum Pipe 刚性铝合金管

- Up to max.200mm diameter - 200m³/min flow single line.
- High-quality powder coating and colors customization.
- Designed for compressed air, vacuum, and inert gases.
- Light-weight & corrosion-free.
- 管徑最大200mm，最大流量200m³/min
- 高級粉體塗裝噴塗，耐久防腐，顏色可以定制
- 適用於所有噴油或無油壓縮空氣及惰性氣體
- 重量輕，防火UL90，可全天候室外安裝

- Quick connection.
- Available for BSP/NPT thread, flange, plug-in connection type.
- High-flow design ensures optimal performance.
- 一體式快接口，快速匹配管接頭
- 可選BSP或NPT標準螺紋，包括所有相關配件
- 高流速內徑設計耐久防腐

Pipe Connectors 快速管接頭

Flexible Hoses 彈性耐壓管

BLUE ALUMINUM PIPE 藍色鋁管

Part No.	DN	OD	ID
301 00 0100 01	20	20.1	17.5
301 00 0200 01	25	25.1	22.5
301 00 0400 01	40	40.1	36.5
301 00 0500 01	50	50.1	45.7
301 00 0600 01	63	67.6	63.0
301 00 0700 01	80	84.8	80.0
301 00 0800 01	100	101.8	96.8
301 00 0900 01	150	153.0	147.5
301 00 1000 01	200	205.0	197.8

*2.9M length please contact local sales.

GREEN ALUMINUM PIPE 綠色鋁管

Part No.	DN	OD	ID
301 00 0100 03	20	20.1	17.5
301 00 0200 03	25	25.1	22.5
301 00 0400 03	40	40.1	36.5
301 00 0500 03	50	50.1	45.7
301 00 0600 03	63	67.6	63.0
301 00 0700 03	80	84.8	80.0
301 00 0800 03	100	101.8	96.8
301 00 0900 03	150	153.0	147.5

GRAY ALUMINUM PIPE 灰色鋁管

Part No.	DN	OD	ID
301 00 0100 02	20	20.1	17.5
301 00 0200 02	25	25.1	22.5
301 00 0400 02	40	40.1	36.5
301 00 0500 02	50	50.1	45.7
301 00 0600 02	63	67.6	63.0
301 00 0700 02	80	84.8	80.0
301 00 0800 02	100	101.8	96.8
301 00 0900 02	150	153.0	147.5
301 00 1000 02	200	205.0	197.8

*2.9M length please contact local sales.

END CAP 堵頭

Part No.	DN
302 08 0100 02	20
302 08 0200 02	25
302 08 0400 02	40
302 08 0500 02	50

*Union connector Included

EQUAL TEE 等徑三通

Part No.	DN
302 02 0100 01	20
302 02 0200 01	25
302 02 0400 01	40
302 02 0500 01	50
302 02 0601 05	63
302 02 0701 08	80
302 02 0801 08	100
302 02 1001 05	150
302 02 1101 05	200

EQUAL TEE 等徑三通

Part No.	DN
302 05 0100 02	20
302 05 0200 02	25
302 05 0400 02	40
302 05 0500 02	50

*Union connectors included

302 05 0600 01 63
302 05 0700 01 80
302 05 0800 01 100
302 05 1000 01 150
302 05 1100 01 200

*Use three union connectors

REDUCING PIPE TO FIT CONNECTOR 異徑管對管

Part No.	DN
----------	----

302 05 1200 02 250

302 05 1300 02 300

302 05 1400 02 350

302 05 1500 02 400

302 05 1600 02 450

302 05 1700 02 500

302 05 1800 02 550

302 05 1900 02 600

302 05 2000 02 650

302 05 2100 02 700

302 05 2200 02 750

302 05 2300 02 800

302 05 2400 02 850

302 05 2500 02 900

302 05 2600 02 950

302 05 2700 02 1000

302 05 2800 02 1050

302 05 2900 02 1100

302 05 3000 02 1150

302 05 3100 02 1200

302 05 3200 02 1250

302 05 3300 02 1300

302 05 3400 02 1350

302 05 3500 02 1400

302 05 3600 02 1450

302 05 3700 02 1500

302 05 3800 02 1550

302 05 3900 02 1600

302 05 4000 02 1650

302 05 4100 02 1700

302 05 4200 02 1750

302 05 4300 02 1800

302 05 4400 02 1850

302 05 4500 02 1900

302 05 4600 02 1950

302 05 4700 02 2000

302 05 4800 02 2050

302 05 4900 02 2100

302 05 5000 02 2150

302 05 5100 02 2200

302 05 5200 02 2250

302 05 5300 02 2300

302 05 5400 02 2350

302 05 5500 02 2400

302 05 5600 02 2450

302 05 5700 02 2500

302 05 5800 02 2550

302 05 5900 02 2600

302 05 6000 02 2650

302 05 6100 02 2700

302 05 6200 02 2750

302 05 6300 02 2800

302 05 6400 02 2850

302 05 6500 02 2900

302 05 6600 02 2950

302 05 6700 02 3000

302 05 6800 02 3050

302 05 6900 02 3100

302 05 7000 02 3150

302 05 7100 02 3200

302 05 7200 02 3250

302 05 7300 02 3300

302 05 7400 02 3350

302 05 7500 02 3400

302 05 7600 02 3450

302 05 7700 02 3500

302 05 7800 02 3550

302 05 7900 02 3600

302 05 8000 02 3650

302 05 8100 02 3700

302 05 8200 02 3750

302 05 8300 02 3800

302 05 8400 02 3850

302 05 8500 02 3900

302 05 8600 02 3950

302 05 8700 02 4000

302 05 8800 02 4050

302 05 8900 02 4100

302 05 9000 02 4150

302 05 9100 02 4200

302 05 9200 02 4250

302 05 9300 02 4300

302 05 9400 02 4350

302 05 9500 02 4400

302 05 9600 02 4450

302 05 9700 02 4500

302 05 9800 02 4550

302 05 9900 02 4600

302 05 10000 02 4650

302 05 10100 02 4700

302 05 10200 02 4750

302 05 10300 02 4800

302 05 10400 02 4850

302 05 10500 02 4900

302 05 10600 02 4950

302 05 10700 02 5000

302 05 10800 02 5050

302 05 10900 02 5100

302 05 11000 02 5150

302 05 11100 02 5200

302 05 11200 02 5250

302 05 11300 02 5300

302 05 11400 02 5350

302 05 11500 02 5400

302 05 11600 02 5450

302 05 11700 02 5500

302 05 11800 02 5550

302 05 11900 02 5600

302 05 12000 02 5650

302 05 12100 02 5700

302 05 12200 02 5750

302 05 12300 02 5800

302 05 12400 02 5850

302 05 12500 02 5900

302 05 12600 02 5950

302 05 12700 02 6000

302 05 12800 02 6050

302 05 12900 02 6100

302 05 13000 02 6150

302 05 13100 02 6200

302 05 13200 02 6250

302 05 13300 02 6300

302 05 13400 02 6350

302 05 13500 02 6400

302 05 13600 02 6450

302 05 13700 02 6500

302 05 13800 02 6550

302 05 13900 02 6600

302 05 14000 02 6650

302 05 14100 02 6700

302 05 14200 02 6750

302 05 14300 02 6800

302 05 14400 02 6850

302 05 14500 02 6900

302 05 14600 02 6950

302 05 14700 02 7000

302 05 14800 02 7050

302 05 14900 02 7100

302 05 15000 02 7150

302 05 15100 02 7200

302 05 15200 02 7250

302 05 15300 02 7300

302 05 15400 02 7350

302 05 15500 02 7400

302 05 15600 02 7450

302 05 15700 02 7500


302 05 15800 02 7550

302 05 15900 02 7600

302 05 16000 02 7650

302 05 16100 02 7700

302 05 16200 02 7750



FIXTURE CLAMPS & ACCESSORIES
管夾



THREADED ADAPTORS
轉接頭



ATMOLYSIS BAG
分氣袋



ALUMINUM PIPE DEBURRER
鋁管去毛刺器



ADJUSTABLE BRACKET
可伸縮支架



WALL MOUNTED BRACKET
懸臂支架



SPANNERS
水泵鉗



GRIDER CLAMP
老虎鉗



UNIVERSAL BEAM SUSPENDER
外向抱箍吊扣



ALUMINUM PIPE CUTTER
鋁管切割器



SQUARE STEEL CLAMP
壓板



FIXTURE CLAMPS & ACCESSORIES
萬向抱箍



ELECTRIC PIPE CUTTER
電動鋁管切割機



PIPE BENDING
彎管器



FIXING BOLTS
螺栓



WIRE SUSPENSION CABLE
鋼絲繩



SQUARE STEEL CLAMP
方鋼



WELDING MACHINE
管機



CLAMP SPACER
管夾墊

0.000

VORTEX FLOW METER
渦街流量計

0.000

PRESSURE METER
氣體壓力錶

0.000


DRILL HOLDER
鑽頭夾具



MARKER
標線器



HOLE DEBURRER
去毛刺器



Superior Reliability

最佳可靠性




Insertion Depth S For DN20-DN50 Connector
DN20-DN50 (3/4" - 2") 管路安裝插入深度S

DN	Insertion depth S (mm)	插入深度S (mm)
----	------------------------	------------

50	39
----	----

Installation Guide for DN20~DN50 安裝指導DN20-DN50 (3/4" - 2")



Deburr & Chamfer The Outer and Inner Edges Before Installation
安裝前去除管端切口內外的毛邊


- 1
- 2



Installation Guide for DN63~DN200 安裝指導DN63-DN200 (2-3/4" - 8")



Hand-held hydraulic lugging machine operation requirements 手持液壓凸管器作業要求



Number of lugs for each diameter: 各規格凸管數

AIRPIPE		DN83	DN90	DN100	DN150	DN200
Note: Do not overlap the lugs						
DN	H(mm)					
83						
		(Min.)		(Max.)		

Sizing Chart for Quick Drops 快換尺寸表

Drill Size	Drill Hole	DN(MM)	Quick Drops (PN)	快換 (PN)
301 35 0005 01	301 35 0005 01			
11 35 0005 02	301 35 0006 05	Φ61	302 10 1004 01	302 10 1005 01
			302 10 1104 01	302 10 1106 01

Flow 流量 N m³/h	50M	100M	150M	200M	300M	500M	750M	1000M	1500M	2000M
20										
30										
40										
50										
60										
70										
80										
90										
100										
120										
150										
200										
300										
500										
750										
1000										
1500										
2000										
3000										
5000										
7500										
10000										
15000										
20000										
30000										
50000										
75000										
100000										
150000										
200000										
300000										
500000										
750000										
1000000										
1500000										
2000000										
3000000										
5000000										
7500000										
10000000										
15000000										
20000000										
30000000										
50000000										
75000000										
100000000										
150000000										
200000000										
300000000										
500000000										
750000000										
1000000000										
1500000000										
2000000000										
3000000000										
5000000000										
7500000000										
10000000000										
15000000000										
20000000000										
30000000000										
50000000000										
75000000000										
100000000000										
150000000000										
200000000000										
300000000000										
500000000000										
750000000000										
1000000000000										
1500000000000										
2000000000000										
3000000000000										
5000000000000										
7500000000000										
10000000000000										
15000000000000										
20000000000000										
30000000000000										
50000000000000										
75000000000000										
100000000000000										
150000000000000										
200000000000000										
300000000000000										
500000000000000										
750000000000000										
1000000000000000										
1500000000000000										
2000000000000000										
3000000000000000										
5000000000000000										
7500000000000000										
10000000000000000										
15000000000000000										
20000000000000000										
30000000000000000										
50000000000000000										
75000000000000000										
100000000000000000										
150000000000000000										
200000000000000000										
300000000000000000										
500000000000000000										
750000000000000000										
1000000000000000000										
1500000000000000000										
2000000000000000000										
3000000000000000000										
5000000000000000000										
7500000000000000000										
10000000000000000000										
15000000000000000000										
20000000000000000000										
30000000000000000000										
50000000000000000000										
75000000000000000000										
100000000000000000000										
150000000000000000000										
200000000000000000000										
300000000000000000000										
500000000000000000000										
750000000000000000000										
1000000000000000000000										
1500000000000000000000										
2000000000000000000000										
3000000000000000000000										
5000000000000000000000										
7500000000000000000000										
10000000000000000000000										
15000000000000000000000										
20000000000000000000000										
30000000000000000000000										
50000000000000000000000										
75000000000000000000000										
100000000000000000000000										
150000000000000000000000										
200000000000000000000000										
300000000000000000000000										
500000000000000000000000										
750000000000000000000000										
1000000000000000000000000										
1500000000000000000000000										
2000000000000000000000000										
3000000000000000000000000										
5000000000000000000000000										
7500000000000000000000000										
10000000000000000000000000										
15000000000000000000000000										
20000000000000000000000000										
30000000000000000000000000										
50000000000000000000000000										
75000000000000000000000000										
100000000000000000000000000										
150000000000000000000000000										
200000000000000000000000000										
300000000000000000000000000										
500000000000000000000000000										
750000000000000000000000000										
1000000000000000000000000000										
1500000000000000000000000000										
2000000000000000000000000000										
3000000000000000000000000000										
5000000000000000000000000000										
7500000000000000000000000000										
10000000000000000000000000000										
15000000000000000000000000000										
20000000000000000000000000000										
30000000000000000000000000000										
50000000000000000000000000000										
75000000000000000000000000000										
100000000000000000000000000000		</								